



OpenCart extension

Merchant Integration Manual


2016-03-01

Features

- Adds EveryPay card payment gateway service to the OpenCart installation for supporting Visa and MasterCard payments.

Step 5: Payment Method ▾

Please select the preferred payment method to use on this order.

☒ Card Payment 

☐ Cash On Delivery

Requirements

The extension has been tested to work with the following OpenCart versions:

- OpenCart v2.x
- OpenCart v1.5.x

Installation

EveryPay extension is available on EveryPay website free of charge:

<https://every-pay.com/documentation-overview/>

Choose the proper version, depending on whether you use OpenCart v2.x or v1.5.x

Whenever possible, the extension should first be installed on development and/or staging environments before deploying it to the production server.

While some steps below are optional, it's strongly recommended not to skip any of them:


- 1) Backup your Opencart database.

- 2) Backup the code base. Even though EveryPay extension doesn't overwrite any core files, it's good to have clean code base you can go back to. Ideally the code should be versioned (Git, SVN, etc.).
- 3) Extract the extension from archive.
- 4) Using FTP or SCP copy extracted files into the site root folder directory. Existing files won't be deleted or overwritten.
- 5) In Opencart site administration panel open 'Extensions' - 'Payments'. Click "Install" "EveryPay" payment method.

Configuration

Once the extension is installed, it can be configured via *Extensions -> Payments -> EveryPay*.

EveryPay [Home](#) / [Payment](#) / [EveryPay](#)

 Edit EveryPay	
Status	Enabled
* API Username	1234abcd1234abcd
* API Secret	1234abcd1234abcd1234abcd1234abcd
* Processing Account ?	EUR3D1
Mode ?	Test

Test API Username	1234abcd1234abcd
Test API Secret	1234abcd1234abcd1234abcd1234abcd
Total ?	Total
Processed Status ?	Pending
Geo Zone	All Zones
Sort Order ?	Sort Order

EveryPay has two separate Merchant Portals:

Live/production: <https://portal.every-pay.eu/>

Test/demo: <https://mwt-demo.every-pay.com/>

Please ensure that you access the correct environments.

The list of configuration parameters can vary between OpenCart v2.x and v1.5.x versions.

Field name	Description
Status	Enable or disable EveryPay Payment Method.
API Username/Secret	<p>Everypay Live and Test servers have different API credentials.</p> <p>API settings are defined in EveryPay LIVE Merchant Portal: https://portal.every-pay.eu/merchant_settings/general</p>
Processing Account	<p>Processing accounts are defined in EveryPay Merchant Portal.</p> <p>LIVE: https://portal.every-pay.eu/merchant_settings/processing_accounts</p> <p>TEST: https://mwt-demo.every-pay.com/merchant_settings/processing_accounts</p> <p>Looks like this: EUR3D1 or USD3D1</p>
Mode	PRODUCTION - live/production mode (payments are sent to EveryPay production server)

	TEST - test mode (payments are sent to EveryPay test/demo server)
Test API Username/Secret	<p>EveryPay Live and Test servers have different API credentials.</p> <p>API settings are defined in EveryPay TEST Merchant Portal: https://mwt-demo.every-pay.com/merchant_settings/general</p>
Total	The checkout total the order must reach before EveryPay payment method becomes active.
Processed Status	Order status for successful payments. Default status is "Pending". Adjust this as needed.
Geo Zones	Enable EveryPay payment method only for certain geographic regions.
Sort order	When system has several active payment methods installed, this field determines their display order.

Changelog

Date	Change
2016-03-01	Initial document